BEST AVAILABLE COP

L Numb r	Hits	Search T xt	DB	Tim stamp
1	2	hatazaki-m\$.in.	USPAT;	2002/11/20
			US-P PUB	21:37
2	224	ogata-y\$.in.	USPAT;	2002/11/20
			US-PGPUB	21:37
3	2	ogata-y\$.in. and 429/\$.ccls.	USPAT;	2002/11/20
			US-PGPUB	21:38
4	895	429/99.ccls. 429/100.ccls.	USPAT;	2002/11/20
			US-PGPUB	22:00
5	249	(429/99.ccls. 429/100.ccls.) and rectangular	USPAT;	2002/11/20
			US-PGPUB	21:40
6	55	((429/99.ccls. 429/100.ccls.) and	USPAT;	2002/11/20
		rectangular) and frame	US-PGPUB	21:44
7	14	(((429/99.ccls. 429/100.ccls.) and	USPAT;	2002/11/20
		rectangular) and frame) and stack\$3	US-PGPUB	21:45
8	93	(429/99.ccls. 429/100.ccls.) and stack\$3	USPAT;	2002/11/20
			US-PGPUB	21:45
9	79	((429/99.ccls. 429/100.ccls.) and stack\$3)	USPAT;	2002/11/20
		not ((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:47
•		rectangular) and frame) and stack\$3)		
10	0	5639571.pn. and metal	USPAT;	2002/11/20
			US-PGPUB	21:47
11	51	(((429/99.ccls. 429/100.ccls.) and stack\$3)	USPAT;	2002/11/20
		not ((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:50
		rectangular) and frame) and stack\$3)) and metal\$3		
12	802	(429/99.ccls. 429/100.ccls.) not	USPAT;	2002/11/20
		(((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:50
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))		0000/44/00
13	29	((429/99.ccis. 429/100.ccis.) not	USPAT;	2002/11/20
		(((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:54
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3) not (((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		rectangular) and frame) and stack\$3)) ((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccis. 429/100.ccis.) and stack\$3)		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) and (m tal r m tallic) and		
		(co ling rc lant)		
		(co mig re lant)	<u> </u>	

EST AVAILABLE COPY

14	773	((429/99.ccls. 429/100.ccls.) not	USPAT;	2002/11/20
		(((((429/99.ccis. 429/100.ccis.) and	US-P PUB	21:54
		rectangular) and fram) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccis. 429/100.ccis.) and		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) not (((429/99.ccis. 429/100.ccis.)		
		not (((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccis. 429/100.ccis.) and		
]	•		į
		rectangular) and frame) and stack\$3)) and		
	İ	metal\$3))) and (metal or metallic) and		
5	242	(cooling or coolant))		
J	242	(((429/99.ccls. 429/100.ccls.) not	USPAT;	2002/11/20
		(((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:59
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccis. 429/100.ccis.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)) and	-	
		metal\$3))) not (((429/99.ccls. 429/100.ccls.)		
		not (((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
	1	((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) and (metal or metallic) and		
		(cooling or coolant))) and metal\$3	İ	

BEST AVAILABLE CO

16	531	(((429/99.ccis. 429/100.ccis.) not	USPAT;	2002/11/20
		(((((429/99.ccls. 429/100.ccls.) and	US-PGPUB	21:59
		r ctangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) not (((429/99.ccls. 429/100.ccls.)		
		not (((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccis. 429/100.ccis.) and		
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) and (metal or metallic) and		
		(cooling or coolant))) not ((((429/99.ccls.		
	İ	429/100.ccls.) not (((((429/99.ccls.		
		429/100.ccls.) and rectangular) and frame)		
	1	and stack\$3) ((429/99.ccls. 429/100.ccls.)		
		and stack\$3) (((429/99.ccls. 429/100.ccls.)		
		and stack\$3) not ((((429/99.ccls.		
		429/100.ccls.) and rectangular) and frame)		
		and stack\$3)) ((((429/99.ccls. 429/100.ccls.)		
		and stack\$3) not ((((429/99.ccls.		
		429/100.ccls.) and rectangular) and frame)		
		and stack\$3)) and metal\$3))) not		
		(((429/99.ccls. 429/100.ccls.) not		
		(((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3)		
		((429/99.ccls. 429/100.ccls.) and stack\$3)		
		(((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and		
		rectangular) and frame) and stack\$3))		
		((((429/99.ccls. 429/100.ccls.) and stack\$3)		
		not ((((429/99.ccls. 429/100.ccls.) and	1	
		rectangular) and frame) and stack\$3)) and		
		metal\$3))) and (metal or metallic) and	1	
		(cooling or coolant))) and metal\$3)		
17	249	429/99.ccls. 429/100.ccls.	USOCR	2002/11/20
				22:08
18	17	429/99.ccls. 429/100.ccls.	EPO; JPO;	2002/11/20
			DERWENT;	22:09
			IBM_TDB	-
19	947410	rack r fram	EP ; JPO;	2002/11/20
			DERWENT;	22:09
	l		IBM_TDB	



20	752634	mounting m unt	EDO: IDO:	2002/44/20
20	152634	mounting m unt	EPO; JPO;	2002/11/20
			DERWENT;	22:09
24	4500044	(IBM_TDB	
21	1590811	(rack r frame) (mounting m unt)	EPO; JPO;	2002/11/20
			DERWENT;	22:09
	4======		IBM_TDB	
22	1572898	((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(battery batteries "electrochemical cell"	DERWENT;	22:14
		"electrochemical cells")	IBM_TDB	
23	17913	((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	DERWENT;	22:10
		(battery batteries "electrochemical cell"	IBM_TDB	
		"electrochemical cells"))		
24	6468	((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	IBM_TDB	22:10
		(battery batteries "electrochemical cell"		
		"electrochemical cells"))		ļ
25	0	(((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	IBM_TDB	22:11
		(battery batteries "electrochemical cell"	_	
		"electrochemical cells"))) and h01m		
26	222	(((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	IBM_TDB	22:14
		(battery batteries "electrochemical cell"	15111_155	
		"electrochemical cells"))) and 429/\$		
27	93564	21.ti.	EPO; JPO;	2002/11/20
		, 	IBM_TDB	22:14
28	o	((((rack or frame) (mounting mount)) not	EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	DERWENT;	22:14
		(battery batteries "electrochemical cell"	IBM_TDB	22.14
		"electrochemical cells"))) and 429/\$) not	IDINI_IDD	
		(battery batteries "electrochemical cell"		
		"electrochemical cells")		
29	o	((((rack or frame) (mounting mount)) not	EDO- IDO-	0000/44/00
23	•		EPO; JPO;	2002/11/20
		(((rack or frame) (mounting mount)) not	DERWENT;	22:15
		(battery batteries "electrochemical cell"	IBM_TDB	
		"electrochemical cells"))) and 429/\$) not		
		(battery batteries "electrochemical cell"		
20	02074	"electrochemical cells")		888844455
30 -	92871	21.ti. not (battery batteries	EPO; JPO;	2002/11/20
		"electrochemical cell" "electrochemical	DERWENT;	22:16
24		cells")	IBM_TDB	
31	693	21.ti. not (21.ti. not (battery batteries	EPO; JPO;	2002/11/20
		"electrochemical cell" "electrochemical	DERWENT;	22:15
		cells"))	IBM_TDB	
32	685	(21.ti. not (21.ti. not (battery batteries	EPO; JPO;	2002/11/20
		"electrochemical cell" "electrochemical	DERWENT;	22:15
		cells"))) not ((((rack or frame) (mounting	IBM_TDB	
		mount)) n t (((rack r fram) (mounting		
		mount)) not (batt ry batteri s		
		" I ctr chemical c II" "el ctr ch mical		
		c IIs"))) and 429/\$)		



33	423	21.ti. and (batt ry batt ries	EPO; JPO;	2002/11/20
		" I ctroch mical c II" I ctroch mical	DERWENT;	22:16
		cells").ti.	IBM TDB	22.10
34	417	(21.ti. and (batt ry batt ri s	EPO; JPO;	2002/11/20
		" lectr ch mical c II" " I ctrochemical	DERWENT;	22:16
		c lls").ti.) n t ((((rack rfram) (mounting	IBM_TDB	
		mount)) not (((rack or frame) (mounting		
		mount)) not (battery batteries		
		"electrochemical cell" "electrochemical		
		cells"))) and 429/\$)		
35	22	(US-4169191-\$ or US-5140744-\$ or	USPAT;	2002/11/20
		US-5886501-\$ or US-6162559-\$ or	EPO; JPO	22:27
		US-4994940-\$ or US-5879833-\$ or		
		US-3664877-\$ or US-4065603-\$ or		
		US-5017441-\$ or US-5667908-\$ or		
		US-5766801-\$ or US-6403251-\$).did. or		
		(DE-4445738-\$).did. or (JP-07251637-\$ or		
		JP-08067151-\$ or JP-08197960-\$ or		•
		JP-09104240-\$ or JP-09104241-\$ or		
]	JP-09118136-\$ or JP-09156380-\$ or		
		JP-09240288-\$ or JP-10006785-\$).did.		
36	10	(US-0754858-\$ or US-0842389-\$ or	USOCR	2002/11/20
		US-1485061-\$ or US-1486434-\$ or		22:27
		US-1978779-\$ or US-2027262-\$ or		
		US-2939901-\$ or US-2980752-\$ or		
		US-3623917-\$ or US-3846179-\$).did.		